



### SIP Network Paging Microphone with Intercom

#### Description:

With a 10/100M Ethernet interface, line input and output, SIPM-10 is an SIP desktop intercom host that is used with SIP server. SIPM-10 network paging microphone can perform point-to-point IP intercom and multicast to the IP terminal through a microphone or local line input.

As a host of the IP broadcast intercom system, SIPM-10 can be used in places where intercom, monitor and emergency alarms are needed, such as control centers of self-service banks, interrogation rooms, classrooms, hospitals and parking lots.

As an intercom terminal, SIPM-10 supports full-duplex two-way intercom and has good echo suppression. We offer standard sip mode, which can be used in other standard SIP systems and compatible with standard SIP terminal devices.



#### Features:

- ▶ Professional SIP Call Station to control and make announcement to all devices in the system.
- ▶ Adopt high-speed industrial grade chip, start-up in less than 1s
- ▶ Support zone paging, and the red indicator will light up when talking
- ▶ Built-in speaker for monitoring and intercom
- ▶ With audio output for external active speaker
- ▶ Support offline talkback (without server)



Model	SIPM-10
Network Communication Protocol	SIP
Network Interface	10/100Base-TX, RJ45
Frequency and Sampling Rate	8kHz-32 kHz, 16 bit
Decoding	MPEG,ADPC
Microphone Frequency Range	70Hz~12.5KHz
Operating Temp.	0~65° C
Power Supply	DC 12V
Dimensions(L*W*H)	150 x 140 x 55 mm
Net Weight	0.6Kg